


# The Advantages of Precision Fabrication

Most leaks in single-ply roofing systems are caused by imperfect seams and poor workmanship. The more seams that are done on the job site, the greater the potential for leaks down the road. The diagram below shows a typical 50,000 square-foot roof, pieced together from traditional rolled roofing membrane. This requires more than 7,500 linear feet of rooftop seaming to be performed. By comparison, less than 1,300 linear feet of seaming is required with the Duro-Last® Roofing System (as illustrated on the following page). Most importantly, Duro-Last also precision fabricates roof top accessories such as curb flashings and scuppers to address the most critical transition areas on your roof. This is unique to the roofing industry.




*Lines represent rooftop seaming required on a 50,000 square-foot building using a typical roll good roofing system.*

When you install a Duro-Last precision fabricated roof, over 85% of the seams can be completed in a factory-controlled environment before the roofing system is delivered to the job site. By eliminating most of the on-site seaming, Duro-Last dramatically reduces the potential for leaks – and adds the advantages of a faster, quieter and easier installation, with less maintenance, and reliable performance for years to come.

**The Duro-Last® Roofing System:**  
It's as Easy as it "Seams".





When you install a Duro-Last precision fabricated roof, over 85% of the seams can be completed in a factory-controlled environment before the roofing system is delivered to the job site. By eliminating most of the on-site seaming, Duro-Last dramatically reduces the potential for leaks - and adds the advantages of a faster, quieter and easier installation, with less maintenance, and reliable performance for years to come.

**The Duro-Last® Roofing System:**  
It's as Easy as it "Seams".



**DURO-LAST...MANUFACTURING STANDARDS ABOVE  
THE REST AND CUSTOMER SERVICE SECOND TO NONE...  
TRULY THE "WORLD'S BEST ROOF"®**

**COMPARE THE FACTS:**

Company	Duro-Last	A	B	C
Membrane Type	PVC	TPO	EPDM	Modified Bitumen
Custom Prefabricated Deck Sheets?	Yes, eliminates 80-85% of field seams	No, all seams are handmade on-site	No, all seams are handmade on-site	No, all seams are handmade on-site
Sheet Construction	Factory prefabricated into panels up to 2,500 sq. ft.	Roll goods only; 500 - 1,000 sq. ft. coverage per typical roll	Roll goods only; 1,000 sq. ft. coverage per typical roll	Roll goods only; 100 sq. ft. coverage per typical roll
Custom Prefabricated Curb & Stack Flashings?	Yes	Yes	No	No
Custom Prefabricated Scuppers & Parapets?	Yes	No	No	No
All Flashing Material Reinforced?	Yes	No	No	No
Flashing Method	All heat-welded	Adhesive or heat-welded	Adhesive	Hot mopped, cement or torch-applied
Warranty Coverage	Repair or replacement	Repair only	Repair only	Repair only
Warranty Issued At No Additional Cost?*	Yes	No	No	No
Warranty Coverage For Consequential Damages?*	Yes	No	No	No

\* 15-Year Warranty

"Duro-Last", "Proven Performer", and the "World's Best Roof" are registered marks owned by Duro-Last, Inc. ENERGY STAR is only valid in the United States. Proven Performer Brochure 10/13 - 95171-010 / M#DL02-0007



Duro-Last Roofing Systems are proudly manufactured in the United States of America.